

References

1. A.R. Patil and B.T. Dangat (2010). Effect of plant extracts on germination of brassica seeds. *Agricultural Research communication Centre*. 30(2): 148-149.
2. A.S. Dahat, J.A. Tidkew, S.K. Sewane (2012). Role of Insect pollination in increasing fruit set and seed yield in *Brassica campestris* L. (Brassicaceae). A international Refereed & Indexed Quarterly Journal II: 2277-7601 (25-37]
3. Agarwal, S.K. and Bhatnagar, D.C. (1991). Autovehicular air pollution induced pigment and ascorbic acid changes in avenue plants. *Acta Ecol.* 13: 1-4.
4. Farooq Ahmad, Amin Shah, Ameer Khan, IramIqbal, Humera Nawaz, M. Ibrahim (2010). Alleviation of adverse effects of salt stress in *Brassica campestris* by pre-sowing seed treatment with ascorbic acid. *American-Eurasian J. Agric. & Environ. Sci.* 7(5): 557-566.
5. FerozaHussain, Md. Rafiqul Islam, Islam Mondal, Ferdousi Begum (2012). Influence of sulphur on morpho-physiological and yield paraemters of rapeseed (*B. campestris* L.). *Bangladesh J. Agric. Res.* 37(4): 645-652.
6. Gurmeet Singh Dhillon and Amardeep Singh Brar, Prakash Singh (2016). Response of brown sarson (*Brassicacampestris* var. brown surson) to integrated nutrient management in mid hill conditions of Himachal Pradesh. *International Journal of Agricultural Sciences.* 12: 319-325.

8. Hafiz Muhammad, Abdul Latif Syed MazharIrfan, Dr. Allah Bakhsh Gulshan, Shahnaz Akhtar (2015). Growth responses of *B. campestris* L. at different grades of sodium chloride toxicity. *International Journal of Scientific & Engineering Research*, 6(2), 2229-5518.
9. Kondo, N. Maruta, I. and Sugahara, K. (1980). Abscisic acid dependent changes in transpiration rate with SO₂ fumigation and the effects of sulphite and pH on stomatal aperture. *Res. Rep. Natl. Int. Environ. Stud. JPN* No. 11: 127-136.
10. Koziol, M.J. and Cowling, D.W. (1978). Growth of ryegrass (*Lolium perenne* L.) exposed to SO₂. II. Changes in distribution of photoassimilate C¹⁴, *J. Exp. Bot.*, 29: 1431-1439.
11. Kumar Suresh Altaf Khan and Parveen Sankhyani (2013). Biochemical characterization of mustard oil (*Brassica campestris* L.) with special reference to its fatty acid composition. *Asian J. of Adv. Basic Sci.* 1(1): 1-9.
12. Kumar, N., Jaishree and Singh, V (1991). Seed quality of three *Vigna* species exposed to SO₂ pollution. *Proc. Nat. Acad. Sci. India*, 61(B): 375-379.
13. Miller, J.E. (1987). Effect of ozone and sulphur dioxide on growth and carbon allocation of plants. In : *Recent Advances in Phytochemistry, phytochemical effect of environmental compounds* (Eds. James, A., Saunders, L., Channing, K. and Conn, E.) Academic Press. New York, 55-100.

14. Norby, R.J. and Kozlowski, T.T. (1983). The role of stomata in sensitivity of *Betula papyrifera* seedlings to SO₂ at different humidities. *Ecologia*, 53: 34-57.
15. Seema Singh, Ashutosh Kumar Verma (2015). A review on effort of induced mutagenesis for qualitative and quantitative improvement of oil seed brassicas. *Journal of Pharmacognosy and Phytochemistry*. 4(2) 298-302.
16. Shengli, Wang, CuicuiZhoa, Yiming Yang, Zhongren Man, Zhuanjun Zhao, Zhaowei Wang, Xia Wang, Wangqiang Jin Cuicui Zhao (2011). Bioaccumulation and translocation of cadmium in cole (*B. campestris* L.) and celery (*Apiumgraveolens*) grown in the polluted oasis soil. Northwest of China, *Journal of Environmental Sciences*, 23(8), 1368-1374 ISSN No. 1001-0742.
17. Shimazaki, K. and Sugahara, K. 91980). Inhibition site of the electron transport system in lettuce (*Lactuca sativa*) chloroplast by fumigation of leaves with SO₂. 21: 125-136.
18. Singh, M. and Rao, D.M. (1979). Studies on the effects of sulphur dioxide on alfalfa plants especially under condition of natural precipitations. *Indian J. Air Pollution Control*. 2: 55-69.
19. Sugahara, K. and Kondo, N. Changes in transpiration rate of SO₂ resistant and sensitive plants with SO₂ fumigation and participation of abscisic acid. *Plant & Cell Physiology*, 19: 365-373.
20. YaowaphaJirakiattikul and NarumolVachirapatama (2008). Effect of vanadium on growth of Chinese green mustard (*B. campestris* ssp.

Chinensis var. *parachinensis*) under substrate culture. Songklanakarin
Journal of Science and Technology, 30(4), 427-431.