

## REFERENCES

- Gautam, R., Saklani, A., Jachak, S.M., 2007. Indian medicinal plants as a source of antimycobacterial agents. *J. Ethnopharmacol.* 110:200-234.
- Goglay, N.J., Bhatt, H.A., Dalvi, S.S., Kshirsagar, N.A., 2002. The use and safety of non allopathic Indian Medicines. *Drug safety* 25(14), 1005-1019.
- Hayes W. J and Laws E R., 1991. *Handbook of Pesticide Toxicology*, Vol. 1. Academic Press, New York, U S A. 497 pp,
- Isman MB, 2006. Botanical insecticides, deterrents, and repellents in modern agriculture and an increasingly regulated world. *Annu. Rev. Entomol* 51:45–66.
- Jembere, B., Obeng-Ofori, D., Hassanali, A., Nyamasyo, G.N.N., 1995. Products derived from the leaves of *Ocimum kilimandscharicum* (Labiatae) as post-harvest grain protectants against the infestation of three major stored product insect pests. *Bulletin of Entomological Research* 85, 361-367.
- Lamiri, A. S., Lhaloui, B., Benjilali, M., Berrada., 2001. Insecticidal effects of essential oils against Hessian fly, *Mayetiola destructor* (Say). *Field Crop Res.* 71, 9–15.
- Okonkwo, E.U., Okoye, W.I., 1996. The efficacy of four seed powders and the essential oils as protectants of cow-pea and maize grain against infestation by *Callosobruchus maculatus* (Fabricius) (Coleoptera: Bruchidae) and *Sitophilus zeamais* (Motschulsky) (Coleoptera: Curculionidae) in Nigeria. *International Journal of Pest Management* 42, 143-146.
- Teixeira, M.Z., 2006. Evidence of the presence of similitude in modern fatal iatrogenic events. *Homoepathy* 95, 229-236.